Amendment to the Claims:

The following listing of claims replaces all previous versions and listings of claims:

1. (Previously presented) A method for providing dynamic deployment of grid services over a computer network, comprising:

installing grid artifacts in a directory located on a target hosting environment in response to an invocation of an implementation of a deployment grid service by a client system, the target hosting environment remotely located from the client system over the computer network, said grid artifacts including:

- a Web service deployment descriptor;
- a service implementation; and
- a WSDL describing said service implementation; and

providing addressability of said grid service to the client system over the computer network by updating said Web service deployment descriptor with service data elements and typemappings associated with said client system;

wherein said artifacts are resident in a GAR file provided by a grid services deployment system.

2. (Original) The method of claim 1, wherein installing said service implementation includes:

extracting Java class files from said GAR file;

copying said Java class files into a first subdirectory on said target hosting environment directory;

extracting Java Jar files from said GAR file; and copying said Java jar files into a second subdirectory.

 (Original) The method of claim 1, wherein installing said WSDL includes: extracting WSDL files from said GAR file; and copying said WSDL files into a third subdirectory on said target hosting environment. 4. (Original) The method of claim 1, wherein installing said Web service deployment descriptor includes:

extracting service Web Service Deployment Descriptors (WSDD) files; copying said service WSDD files into a temporary directory of said target hosting environment directory;

extracting client Web Service Deployment Descriptors (WSDD) files; and copying said client WSDD files to a temporary directory at said target hosting environment.

5. (Previously presented) The method of claim 1, wherein said installing said grid artifacts in a directory further includes:

automatically copying said GAR file into a deployedGARs subdirectory in said target hosting environment directory, wherein said copying said GAR file into a deployedGARs subdirectory is operable for undeploying a grid service operation.

6. (Original) The method of claim 1, wherein said updating said Web service deployment descriptor with service data elements and typemappings associated with said client system comprises:

merging said service element and sub-elements into said active WSDD; and merging any service XML-to-Java typemappings needed for XML-to-Java serialization and descrialization based upon said types defined in a grid service's WSDL definition; and

merging any client XML-to-Java typemappings into said active client WSDD in the event that said grid service itself is a client to another grid service.

- 7. (Original) The method of claim 1 wherein multiple grid services are simultaneously deployed.
- 8. (Previously presented) A method for providing dynamic undeployment of grid services over a computer network, comprising:

automatically removing grid artifacts from a directory located on a target hosting environment, said grid artifacts including:

- a Web service deployment descriptor;
- a service implementation; and
- a WSDL describing said service implementation.
- 9. (Previously presented) A system for providing dynamic deployment of grid services over a computer network, comprising:

a host system in communication with at least one network-enabled client system and a target hosting environment over the computer network, the target hosting environment remotely located from the network-enabled client system, said host system operating in an OGSI architected environment; and

a grid services deployment system executing on said host system, the grid services deployment system performing:

installing grid artifacts in a directory located on the target hosting environment in response to an invocation of an implementation of a deployment grid service by the network-enabled client system, said grid artifacts including:

- a Web service deployment descriptor;
- a service implementation; and
- a WSDL describing said service implementation; and providing addressability of said grid service to said network-

enabled client system over the computer network by updating said Web service deployment descriptor with service data elements and typemappings associated with said network-enabled client system;

wherein said artifacts are resident in a GAR file provided by a grid services deployment system.

10. (Previously presented) The system of claim 9, further comprising a user interface implemented by the host system, the user interface operable for interacting with said at least one network-enabled client system.

11. (Currently amended) A computer program product embodied on a computer-readable <u>storage</u> medium, the computer program product including instructions executable by a computer processor for providing dynamic deployment of grid services over a computer network, the computer program product including instructions executable by a computer processor for performing:

installing grid artifacts in a directory located on a target hosting environment in response to an invocation of an implementation of a deployment grid service by a client system, the target hosting environment remotely located from the client system over the computer network, said grid artifacts including:

- a Web service deployment descriptor;
- a service implementation; and
- a WSDL describing said service implementation; and

providing addressability of said grid service to said client system over the computer network by updating said Web service deployment descriptor with service data elements and typemappings associated with said client system;

wherein said artifacts are resident in a GAR file provided by a grid services deployment system.

12. (Previously presented) The computer program product of claim 11, wherein installing said service implementation includes:

extracting Java class files from said GAR file;

copying said Java class files into a first subdirectory on said target hosting environment directory;

extracting Java Jar files from said GAR file; and copying said Java jar files into a second subdirectory.

13. (Previously presented) The computer program product of claim 11, wherein installing said WSDL includes:

extracting WSDL files from said GAR file; and

copying said WSDL files into a third subdirectory on said target hosting environment.

14. (Previously presented) The computer program product of claim 11, wherein installing said Web service deployment descriptor includes:

extracting service Web Service Deployment Descriptors (WSDD) files; copying said service WSDD files into a temporary directory of said target hosting environment directory;

extracting client Web Service Deployment Descriptors (WSDD) files; and copying said client WSDD files to a temporary directory at said target hosting environment.

15. (Previously presented) The computer program product of claim 11, wherein said installing said grid artifacts in a directory further includes:

automatically copying said GAR file into a deployedGARs subdirectory in said target hosting environment directory, wherein said copying said GAR file into a deployedGARs subdirectory is operable for undeploying a grid service operation.

16. (Previously presented) The computer program product of claim 11, wherein said updating said Web service deployment descriptor with service data elements and typemappings associated with said client system comprises:

merging said service element and sub-elements into said active WSDD; and merging any service XML-to-Java typemappings needed for XML-to-Java serialization and descrialization based upon said types defined in a grid service's WSDL definition; and

merging any client XML-to-Java typemappings into said active client WSDD in the event that said grid service itself is a client to another grid service.

17. (Previously presented) The computer program product of claim 11 wherein multiple grid services are simultaneously deployed.

- 18. (Cancelled)
- 19. (Cancelled)